



## Medicine Authorization Form

\* Must provide a copy of current doctor's immunization records

Child's Name: \_\_\_\_\_ DOB: \_\_\_\_ / \_\_\_\_ / \_\_\_\_ Age: \_\_\_\_\_

Name of Parent or Legal Guardian: \_\_\_\_\_

Home Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Telephone: (\_\_\_\_\_) \_\_\_\_\_ Email: \_\_\_\_\_

### Medical Summary

List any diagnosis or health concern (asthma, diabetes, chronic illness, seizures, etc.):  
\_\_\_\_\_  
\_\_\_\_\_

If your child does suffer from asthma, diabetes or other any chronic illness, you will be required to fill out a Medical Action Plan.

Has the child ever had a severe reaction to anything (penicillin, bee stings, etc.)?  
\_\_\_\_\_

Please list all of the child's severe food allergies: \_\_\_\_\_  
\_\_\_\_\_

If, yes, please explain including whether the child needs an Epi-pen at school.  
\_\_\_\_\_

List any current or prescribed medications and dosages:  
\_\_\_\_\_

List any past hospitalizations, surgeries or injuries (ear infections, placement of tubes, tonsillectomies, etc.):  
\_\_\_\_\_

Please list any family medical history that might be important for the school to know:  
\_\_\_\_\_

List any speech/ language or motor development concerns that you or the parents have:  
\_\_\_\_\_

Other Comments:  
\_\_\_\_\_

Parent Signature: \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_





2026-2027

## Medicine Authorization (Continued)

\* Must provide a copy of current doctor's immunization records

### Medical Summary (to be filled out by your pediatrician)

Please check if abnormal and comment:

<input type="checkbox"/> Skin:	_____		<input type="checkbox"/> Mouth & Dental:	_____
<input type="checkbox"/> Eyes:	_____		<input type="checkbox"/> Ears:	_____
<input type="checkbox"/> Lymphatic:	_____		<input type="checkbox"/> Orthopedic:	_____
<input type="checkbox"/> Genitalia Hernia:	_____		<input type="checkbox"/> Abdomen:	_____
<input type="checkbox"/> Chest:	_____		<input type="checkbox"/> Heart:	_____

Significant findings and physician's recommendations to parents and teachers:

---

---

---

Other Comments:

---

---

---

Recommendations for Physical Education: \_\_\_\_\_ Full Program \_\_\_\_\_ Restricted

If marked *Restricted*, please explain:

---

---

Doctor's Signature: \_\_\_\_\_ M.D. Date: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

\*\*\*Please mail in completed Medical Authorization and Current Immunization

Records\*\*\* to: Bambini Creativi

400 East 135th Street

Kansas City, MO 64145

Email to: [brianne@bambinicreativi.com](mailto:brianne@bambinicreativi.com)

Phone: (816) 941. 7529 or (PLAY)

# asthma & allergy action plan



BAMBINI CREATIVI

2026-2027

## Asthma & Allergy Action Plan

Name: \_\_\_\_\_ D.O.B.: \_\_\_\_\_

Allergy to: \_\_\_\_\_

Weight: \_\_\_\_\_ lbs.

**Asthma:**  Yes (higher risk for a severe reaction)  No

### PROGRAM SCHEDULE:

M T W TH F HALF OR FULL

### FOR ANY OF THE FOLLOWING SEVERE SYMPTOMS

If checked, give epinephrine immediately if the allergen was definitely eaten, even if there are no symptoms.



#### LUNG

Short of breath, wheezing, repetitive cough



#### HEART

Pale, blue, faint, weak pulse, dizzy



#### THROAT

Tight, hoarse, trouble breathing/swallowing



#### MOUTH

Significant swelling of the tongue and/or lips



#### SKIN

Many hives over body, widespread redness



#### GUT

Repetitive vomiting or severe diarrhea



#### OTHER

Feeling something bad is about to happen, anxiety, confusion

OR A COMBINATION of mild or severe symptoms from different body areas.

**NOTE:** Do not depend on antihistamines or inhalers (bronchodilators) to treat a severe reaction. Use Epinephrine.

### 1. INJECT EPINEPHRINE IMMEDIATELY.

#### 2. Call 911. Request ambulance with epinephrine.

- Consider giving additional medications (following or with the epinephrine):
  - » Antihistamine
  - » Inhaler (bronchodilator) if asthma
- Lay the student flat and raise legs. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
- If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose.
- Alert emergency contacts.
- Transport student to ER even if symptoms resolve. Student should remain in ER for 4+ hours because symptoms may return.

**NOTE: WHEN IN DOUBT, GIVE EPINEPHRINE.**

### MILD SYMPTOMS

If checked, give epinephrine immediately for ANY symptoms if the allergen was likely eaten.



#### NOSE

Itchy/runny nose, sneezing



#### MOUTH

Itchy mouth



#### SKIN

A few hives, mild itch



#### GUT

Mild nausea/discomfort



### 1. GIVE ANTIHISTAMINES, IF ORDERED BY PHYSICIAN

- Stay with student; alert emergency contacts.
- Watch student closely for changes. If symptoms worsen, **GIVE EPINEPHRINE**.

### MEDICATIONS/DOSES

Epinephrine Brand: \_\_\_\_\_

Epinephrine Dose:  0.15 mg IM  0.3 mg IM

Antihistamine Brand or Generic: \_\_\_\_\_

Antihistamine Dose: \_\_\_\_\_

Other (e.g., inhaler-bronchodilator if asthmatic): \_\_\_\_\_

EMERGENCY CONTACT #1 NAME: \_\_\_\_\_ RELATIONSHIP: \_\_\_\_\_ PHONE: \_\_\_\_\_

EMERGENCY CONTACT #2 NAME: \_\_\_\_\_ RELATIONSHIP: \_\_\_\_\_ PHONE: \_\_\_\_\_

PARENT/GUARDIAN AUTHORIZATION SIGNATURE

DATE

PHYSICIAN/HCP AUTHORIZATION SIGNATURE

DATE

FORM PROVIDED COURTESY OF FOOD ALLERGY RESEARCH & EDUCATION (FARE) (WWW.FOODALLERGY.ORG) 8/2013